METALWAX

PROTECTIVE METALLIC WAX





- TERRACOTTA
- **QUARRY TILES**
- UNPOLISHED MARBLE AND AGGLOMERATES
- PLASTIC LAMINATES
- **LINOLEUM**
- RUBBER AND PVC



WHAT IT'S FOR

- Protects all types of floors from dirt
- Especially suitable for protecting rubber, PVC and linoleum floors
- Generates a protective film on the surface which is particularly resistant to wear from foot traffic

ADVANTAGES

- Gloss effect without polishing
- Easy to apply
- Can be used undiluted or diluted as necessary

HOW IT'S USED

Dilution: use undiluted or diluted depending on requirements. Routine maintenance: two or three glasses in a bucket of washing water

Application:

After the initial cleaning, after the floor has dried, apply an even, continuous coat of the product using a waxer or other suitable applicator. After about 1 hour, when dry, apply a second coat at right-angles to the first. Leave to dry: The floor will be left shining with no need to polish.

Maintenance:

Wash the previously treated floor with a diluted solution of the product.

Caution

Do not walk over the floor while it is drying. This wax can be removed using our specific wax remover FILA**PS87.**

È sconsigliato l'uso del prodotto su superfici esterne, in ambienti umidi e dove vi sia ristagno d'acqua (bagni, docce).

COVERAGE

With one litre:

30 m²

"Coverage rates are approximate and refer to a single coat of the product"

Packaging

1 litre flasks in box of 12.

PRECAUTIONS

- Keep out of the reach of children.Dispose of the container properly after use.
- The application of waxes is not reccomended on external areas, on wet ambients and where there is water stagnation.

TEMPERATURE

Storage temperature: between 5° C and 30° C. Must be applied to material at temperatures between 10° and 30° C.

COMPOSITION

Aqueous emulsion of metallised polymers, polyethylene waxes, wetting resins, plasticisers, fragrance and additives (preservative, anti-foam agent).

LABELLING

No risk or safety labels or warnings are required since the product is not classified as hazardous under current regulations.

TECHNICAL INFORMATION

Appearance: liquid Colour: milky white Odour: fresh fragrance Density: 1,025 kg/litre pH: 7,7

The information above reflects our latest technical know-how and is the outcome of ongoing laboratory research and testing. However, some factors are beyond our control. It is essential to integrate our suggestions with your own on-site preliminary tests and check. Fila accepts no liability for improper use of its products.

DO/LB 14 REV. 00 - 30/05/2012

